

# DSIAC TECHNICAL INQUIRY (TI) RESPONSE REPORT

# Fluorescence/Emission Sensing & Detection Technologies for Chemical Threat Agents

## **Report Number:**

DSIAC-2020-1226

**Completed February 2020** 

**DSIAC** is a Department of Defense Information Analysis Center

#### **MAIN OFFICE**

4695 Millennium Drive Belcamp, MD 21017-1505 443-360-4600

#### **REPORT PREPARED BY:**

Dr. Mark Fraser

Office: QinetiQ

Information contained in this report does not constitute endorsement by the United States Department of Defense of any non-federal entity or technology sponsored by a non-federal entity.

DSIAC is a DoD Information Analysis Center (IAC) sponsored by the Defense Technical Information Center (DTIC) with policy oversight provided by the Office of the Under Secretary of Defense (OUSD) for Research and Engineering (R&E). DSIAC is operated by the SURVICE Engineering Company.



#### Form Approved REPORT DOCUMENTATION PAGE OMB No. 0704-0188 Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS. 1. REPORT DATE (DD-MM-YYYY) 2. REPORT TYPE 3. DATES COVERED (From - To) 20-02-2020 Technical Research Report 4. TITLE AND SUBTITLE 5a. CONTRACT NUMBER FA8075-14-D-0001 Fluorescence/Emission Sensing & Detection Technologies for **5b. GRANT NUMBER** Chemical Threat Agents **5c. PROGRAM ELEMENT NUMBER** 6. AUTHOR(S) **5d. PROJECT NUMBER** Mark Fraser **5e. TASK NUMBER** 5f. WORK UNIT NUMBER 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION REPORT NUMBER Defense Systems Information Analysis Center (DSIAC) QinetiQ North America 10440 Furnace Rd. Suite 204 Lorton, VA 22079-2630 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSOR/MONITOR'S ACRONYM(S) Defense Technical Information Center (DTIC) 8725 John J. Kingman Rd. 11. SPONSOR/MONITOR'S REPORT Ft. Belvoir, VA 22060-6218 NUMBER(S) 12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release: distribution unlimited.

#### 13. SUPPLEMENTARY NOTES

Technical Areas: materials and manufacturing process: materials/processes for survivability and life extension; energetics, military sensing

#### 14. ABSTRACT

The Defense Systems Information Analysis Center (DSIAC) was asked to collect information on using fluorescence and emission sensing and detection for chemical threat agents. A chemical, biological, radiological, nuclear, and explosive DSIAC subject matter expert from QinetiQ collected information from open sources. Infrared spectroscopy, Raman spectroscopy, and quantum cascade laser technologies are described.

#### 15. SUBJECT TERMS

fluorescence, emission sensing, chemical threat agent, CBNRE, spectroscopy

16. SECURITY CLASSIFICATION OF: U			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON Ted Welsh, DSIAC Director
a. REPORT U	b. ABSTRACT U	<b>c. THIS PAGE</b> U	טט	10	19b. TELEPHONE NUMBER (include area code) 443-360-4600

Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std. Z39.18



## ABOUT DTIC AND DSIAC

The Defense Technical Information Center (DTIC) collects, disseminates, and analyzes scientific and technical information to rapidly and reliably deliver knowledge that propels development of the next generation of Warfighter technologies. DTIC amplifies the U.S. Department of Defense's (DoD's) multibillion dollar annual investment in science and technology by collecting information and enhancing the digital search, analysis, and collaboration tools that make information widely available to decision makers, researchers, engineers, and scientists across the Department.

DTIC sponsors the DoD Information Analysis Center's (IAC's) program, which provides critical, flexible, and cutting-edge research and analysis to produce relevant and reusable scientific and technical information for acquisition program managers, DoD laboratories, Program Executive Offices, and Combatant Commands. The IACs are staffed by, or have access to, hundreds of scientists, engineers, and information specialists who provide research and analysis to customers with diverse, complex, and challenging requirements.

The Defense Systems Information Analysis Center (DSIAC) is a DoD IAC sponsored by DTIC to provide expertise in nine technical focus areas: weapons systems; survivability and vulnerability; reliability, maintainability, quality, supportability, and interoperability; advanced materials; military sensing; autonomous systems; energetics; directed energy; and non-lethal weapons. DSIAC is operated by SURVICE Engineering Company under contract FA8075-14-D-0001.

A chief service of the DoD IACs is free technical inquiry (TI) research, limited to 4 research hours per inquiry. This TI response report summarizes the research findings of one such inquiry jointly conducted by DSIAC.



# **ABSTRACT**

The Defense Systems Information Analysis Center (DSIAC) was asked to collect information on using fluorescence and emission sensing and detection for chemical threat agents. A chemical, biological, radiological, nuclear, and explosive DSIAC subject matter expert from QinetiQ collected information from open sources. Infrared spectroscopy, Raman spectroscopy, and quantum cascade laser technologies are described.



# Contents

ABOUT DTIC AND DSIAC	iii
ABSTRACT	iv
1.0 TI Request	1
1.1 INQUIRY	1
1.2 DESCRIPTION	1
2.0 TI Response	1
2.1 BACKGROUND	1
2.2 INFRARED (IR) SPECTROSCOPY	1
2.3 RAMAN SPECTROSCOPY	2
2.4 QUANTUM CASCADE LASERS (QCLS)	3
References	4
Biography	5
List of Figures	
Figure 1: IR Spectra for CWAs (Top) and Mustard Gases (Bottom).	2
Figure 2: A Thermo Fisher Scientific FirstDefender RMX handheld Chemical Identification	3



# 1.0 TI Request

## 1.1 INQUIRY

What is currently being done in terms of using fluorescence/emission sensing/detection for chemical threat agents?

### 1.2 DESCRIPTION

The inquirer is interested in technologies for detecting chemical warfare agents (CWAs) and toxic industrial chemicals.

# 2.0 Tl Response

### 2.1 BACKGROUND

The phrase "chemical threat agents" is meant to include CWAs (blood agents, such as cyanogen chloride and hydrogen cyanide; blister agents, such as lewisite, sulfur mustard, and nitrogen mustard; nerve agents, such as tabun, sarin, and VX; and pulmonary agents, such as chlorine and phosgene) and toxic industrial chemicals (such as hydrogen sulfide, hydrochloric acid, phosphine, and formaldehyde).

The phrase "fluorescence/emission sensing/detection" is meant to encompass any means, active or passive, to create or sense electromagnetic radiation, including reflectance, from samples for the purpose of detecting chemical threat agents.

## 2.2 INFRARED (IR) SPECTROSCOPY

CWAs and toxic industrial chemicals (TICs) are IR active—they can be detected in IR (see Figure 1) by absorbance, transmission, and even reflectance. This enables active and passive detection of these species in close physical proximity and from large standoff distances. Because IR spectroscopy is a mature field, there are many commercially available devices. The Department of Homeland Security (DHS) performed an assessment of handheld IR devices [1] that are available to first responders as part of SAVER (System Assessment and Validation for Emergency Responders). DHS has also reviewed passive IR systems for standoff chemical detection, including single-band imagers; multispectral imagers; hyperspectral, single-pixel scanners; and hyperspectral imagers [2]. An example technology in this genre is the iMCAD (improved Mobile Chemical Agent Detector), developed and manufactured by Mesh, Inc. The iMCAD is a passive Fourier-transform IR instrument [3] with thermal imaging and visible cameras that can detect, identify, and map chemical weapon vapors, chemical aerosols, toxic



industrial chemicals, and biological particles at distances up to 6 km away. The system is designed to operate from stationary or mobile military or civilian platforms.




Figure 1: IR Spectra for CWAs (Top) and Mustard Gases (Bottom) (Source: Mark Fraser, QinetiQ, Inc.).

## 2.3 RAMAN SPECTROSCOPY

Raman spectroscopy differs from IR spectroscopy in that an ultraviolet laser is typically used to excite the target molecule to a virtual state. This state then relaxes to the target molecule's ground vibrational states, producing a characteristic spectrum from 0 cm<sup>-1</sup> to 3,500 cm<sup>-1</sup> immediately to the red of the exciting wavelength. Like IR spectroscopy, Raman spectroscopy is a mature science, and there are commercially available devices to detect chemical threat agents. The DHS has also reviewed commercially available, field-portable Raman sensors used to identify unknown solid and liquid materials encountered during hazardous materials operations [4]. The significant advantage of Raman for these applications is that the laser can operate directly through sealed plastic or glass containers, thus avoiding exposure to potentially dangerous substances.



One of the technologies reviewed by DHS is the Thermo Scientific FirstDefender RM, now called the RMX. A current photo of the handheld RMX from the product brochure [5] is shown in Figure 2. The unit weighs only 2 lb and is fully self-contained with an integrated laser and detector/spectrometer. The library holds ~11,000 reference spectra to identify unknown chemicals, including explosives, toxic industrial chemicals, precursors, and more.



Figure 2: A Thermo Fisher Scientific FirstDefender RMX handheld Chemical Identification Analyzer (Image Courtesy of Thermo Fisher Scientific).

Laser Raman has been adapted for mobile and stationary detection of CWAs on surfaces, including the ground [6]. The developed system can be applied to stationary scenarios and mounted on vehicles for mobile, on-the-move applications. In these incarnations, the laser is placed in short-range standoff (<3 m) of the contaminated surfaces. A recent U.S. Army Small Business Innovative Research (SBIR) topic [7] sought to extend the laser range to 50–100 m by using a remotely-operated unmanned aerial vehicle flying 1 to 2 m above the laser spot for detection.

## 2.4 QUANTUM CASCADE LASERS (QCLS)

The availability of QCLs (miniature, uncooled, narrow-wavelength, semiconductor lasers) in the  $3.5-13~\mu m$  region have opened up numerous applications for active standoff (typically, 1-3~m) detection of explosives and CWAs individually or as a group [8, 9]. Figure 1 shows several key features for nerve and blister agents in this spectral region. After many years of research and development, this technology has now evolved to a technology readiness level of  $^{\sim}6$ . One of the more advanced systems has been developed by Pendar Technologies [9]. This portable system weighs roughly 20 lb, is composed of four 32-element QCL arrays covering the  $6.5-10.5~\mu m$  region, and has been used for explosives, VX, and T-mustard.



# References

- [1] Pacific Northwest Laboratory. "Portable Infrared Spectroscopy Chemical Detectors Assessment Report." U.S. Department of Homeland Security. <a href="https://www.dhs.gov/sites/default/files/publications/Portable-Infrared-Spectroscopy-Chemical-Detectors-ASR 0616-508.pdf">https://www.dhs.gov/sites/default/files/publications/Portable-Infrared-Spectroscopy-Chemical-Detectors-ASR 0616-508.pdf</a>, June 2016.
- [2] Pacific Northwest Laboratory. "Passive Infrared Systems for Remote Chemical Detection Assessment Report." U.S. Department of Homeland Security. <a href="https://www.dhs.gov/sites/default/files/publications/PIS-RCD-AR">https://www.dhs.gov/sites/default/files/publications/PIS-RCD-AR</a> 0916-508.pdf, September 2016.
- [3] Mesh, Inc. "iMCAD (improved Mobile Chemical Agent Detector)." <a href="http://www.meshoxford.com/imcad/">http://www.meshoxford.com/imcad/</a>, accessed 6 February 2020.
- [4] U.S. Department of Homeland Security. "Handheld Raman Spectrometers." <a href="https://www.dhs.gov/sites/default/files/publications/Raman-SUM 1012-508.pdf">https://www.dhs.gov/sites/default/files/publications/Raman-SUM 1012-508.pdf</a>, October 2012.
- [5] Thermo Scientific. "FirstDefender RMX Handheld Chemical Identification." <a href="https://www.thermofisher.com/order/catalog/product/FIRSTDEFENDERRMX#/FIRSTDEFENDERRMX">https://www.thermofisher.com/order/catalog/product/FIRSTDEFENDERRMX#/FIRSTDEFENDERRMX</a>, accessed 6 February 2020.
- [6] Sedlacek, A. J., III, M. D. Ray, N. S. Higdon, and D. A. Richter. "Short-range, Non-contact Detection of Surface Contamination Using Raman Lidar." In Proceedings SPIE 4577, Vibrational Spectroscopy-based Sensor Systems, 22 February 2002.
- [7] U.S. DoD. "Remote Optical Surface Contaminant Detection and Mapping." U.S. Department of Defense 2019.3 SBIR Solicitation, Topic Number A19-154, <a href="https://www.sbir.gov/sbirsearch/detail/1620805">https://www.sbir.gov/sbirsearch/detail/1620805</a>, 23 August 2019.
- [8] Deutsch, E. R., P. Kotidis, N. Zhu, A. K. Goyal, J. Ye, M. N. Mazurenko, K. Zafiriou, M. Baier, and R. Conners. "Active and Passive Infrared Spectroscopy for the Detection of Environmental Threats." SPIE Proceedings, vol. 9106, Advanced Environmental, Chemical, and Biological Sensing Technologies XI, 22 May 2014.
- [9] Witinski, M. F., R. Blanchard, C. Pfluegl, L. Diehl, B. Li, K. Krishnamurthy, B. C. Pein, M. Azimi, P. Chen, G. Ulu, G. V. Rhodes, C. R. Howle, L. Lee, R. J. Clewes, B. Williams, and D. Vakhshoori. "Portable Standoff Spectrometer for Hazard Identification Using Integrated Quantum Cascade Laser Arrays from 6.5 to 11 μm." *Optics Express*, vol. 26, no. 9, pp. 12159–12168, 30 April 2018.



# **Biography**

Mark Fraser, currently employed by QinetiQ, Inc., in Lorton, VA, is a multidisciplinary subject matter expert in several technical domains, including chemical, biological, radiological, nuclear, and explosive detection; artificial intelligence-based, security software solutions; homeland security; electrochemistry; aeronautics; and electrooptical/IR sensors. He has held several technology leadership positions during his 30+ year career, including Chief Technology Officer for Airbus North America. His doctoral thesis, "Studies of Chemiluminescence," received the Kasimir Fajans Award. He holds seven patents and has more than 50 peer-reviewed scientific publications. Dr. Fraser received his bachelor's degree in chemistry from Union College in Schenectady, NY, and his master's and Ph.D. in physical and analytical chemistry from the University of Michigan in Ann Arbor, MI.